

2B Finish SS304 Stainless Steel Plate ASTM 0.8mm Thick Sliver 1219*2438m


Basic Information

- Place of Origin:
- Brand Name:
- Model Number: 304
- Minimum Order Quantity: 1 ton
- Price: Negot
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

Negotiation
Standard seaworthy packing
3 - 5 work days
L/C, T/T
1000 ton per month

Jiangsu

Xuda




Product Specification

- Name:
- Grade:
- Thickness:
- Type:
- Surface:
- Size:
- Color:
- Application:
- Standard:
- Technique:
- Highlight:

SS304 Stainless Steel Plate
304
0.8mm
Sheet
2B
1219 * 2438mm
Sliver
Container Material
ASTM
Cold-rolled

- SS304 Stainless Steel Plate ASTM,
- SS304 Stainless Steel Plate 0.8mm, 2B Finish Stainless Steel Sheet




Our Product Introduction

SS304 Stainless Steel Plate ASTM 0.8mm Thickness Sliver Color 2B Finish Container Use 1219 * 2438mm Size

Product Description

The surface of stainless steel plate is smooth, it has a high plasticity, toughness and mechanical strength, and also has corrosion resistance against acid, alkaline gas, solution and other medium. It is an alloy steel that is resistant to rust, but not absolute. Stainless steel sheet refers to a kind of steel plate which is resistant to weak medium corrosion such as the atmosphere, steam and water. Stainless steel plate came out since the beginning of 20th century, and has a history of more than one century.



Product Properties

Туре	Cold Drawn or Hot Rolled
Thickness	0.1-300mm
Width	1000, 1219, 1500, 2000, 2500, 3000mm etc.
Length	1000, 1500, 2438, 3000, 5800, 6000, 9000, 12000mm etc.
Standard	ASTM JIS AISI GB DIN EN
Surface Finished	BA, 2B, NO.1, NO.4, 4K, HL, 8K
Application	It is widely used in high-temperature and electric industry, medical devices, construction, chemistry, food industry, agriculture, and ship components. It also applies to food and beverage packaging, kitchen supplies, trains, aircraft, conveyor belts, vehicles, bolts, nuts, springs, and screen mesh etc.
Certification	CE, ISO, SGS, BV
Technique	Hot rolled or cold drawing
Edge	Mill Edge / Slit Edge
Quality	SGS Inspection

Grade(ASTM UNS)	201 202 301 304 304L 321 316 316L 317L 347H 309S 310S 904L S32205 2507 254SMOS 32760 253MA N08926 etc.
Grade (EN)	1.4301, 1.4307, 1.4541, 1.4401, 1.4404 ,1.4571, 1.4438, 1.4539, 1.4547, 1.4529, 1.4562, 1.4410, 1.4878, 1.4845, 1.4828, 1.4876, 2.4858, 2.4819
Price Terms	CIF CFR FOB EX-WORK
Export Packing	Waterproof Paper, Steel Strip Packed and other Standard Export Seaworthy Package, or customized package
Supply Ability	5000 Ton/Tons per Month
Payment Terms	T/T L/C

Company Profile

Shandong Hailian Steel Group has deeply engaged in Chinese domestic market for over 10 years. We established perfect reputation and deep co-operations with large number of reliable patners. Our high-tech factory and well-trained workers are able to manufature best quality and highly customized metal products. The professional sales team guarantes the prefect trading experience with Hailian.

The goal of Hailian is doing our best to offer our clients best service and product quality with lowest price. We are looking forward to deal business with you!

FAQ

1.What is your payment terms?

Our company prefers 30%TT before inspection and the rest 70% against BL. However, our price term is negotiable. Multiple payment terms are available from us.

2. Which payment method can I choose?

Our company accepts all types of secured payment methods. Bank transaction, Trading Assurance, Paypal and etc are all available from us. Please feel free to contact us about your preferred payment method.

3.Is sample providing service available?

Our company provides free samples to our clients. We usually also cover the sample shipping cost. Please feel free to order a sample from us.

