

Jiangsu

Hailian

1mm Polished 304 Stainless Steel Tubing Pipe 32mm OD For Room Decoration

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: 304
- Minimum Order Quantity: 1
- Price: Ne
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

1 ton
Negotiation
Standard seaworthy packing
3 - 5 work days
L/C, T/T
10000 ton per month



Product Specification

- Name:
- Grade:Thickness:
- OD:
- Length:
- Color:
- Type:
- Application:
- Technique:
- Shape:
- Highlight:

Stainless Steel Tubing 304	
304	
1mm	
32mm	
3m	
Polished	
Tubing	
Room Decoration	
Cold-rolled	
Round	

. --

1mm Polished 304 Stainless Steel Tubing, Polished 304 Stainless Steel Tubing, Polished Stainless Steel Pipe 32mm



Our Product Introduction

Stainless Steel Tubing 304 1mm Thickness Outer Diameter 32mm Length 3m Polished Surface Room Decoration AISI

Product Description

Stainless steel pipes generally use three Brinell, Rockwell, Vickers hardness indicators to measure their hardness. Among the stainless steel pipe standards, Brinell hardness is the most widely used, and the hardness of the material is often expressed by the diameter of the indentation, which is intuitive and convenient. However, it is not suitable for steel pipes of harder or thinner steel.



Product Properties

Description

Description				
ltem	Stainless steel pipe			
Steel grade	300 Series			
Standard	ASTM A213,A312,ASTM A269,ASTM A778,ASTM A789,DIN 17456, DIN17457,DIN 17459,JIS G3459,JIS G3463,GOST9941,EN10216, BS3605,GB13296			
Material	304,304L,309S,310S,316,316Ti,317,317L,321,347,347H,304N,316L, 316N,201			
Surface	Polishing, Annealing, Pickling, Bright			
Туре	Hot Rolled and Cold Rolled			
Stainless steel round pipe/tube				
Size	Wall Thickness	1mm-150mm		
	Outer Diameter	6mm-2500mm		
Stainless steel square pipe/tube				
Size	Wall Thickness	1mm-150mm		
	Outer Diameter	4*4mm-800*800mm		
Stainless ste	eel rectangular pipe/tube	1		

	Wall Thickness	1mm-150mm	
Size	Outer Diameter	6mm-2500mm	
	Length	Customized	
Delivery time	Prompt delivery or as the order quantity.		
Package	Standard export seaworthy package,or as required.		
Application	Widely used in petroleum,foodstuff,chemical industry,construction, electric power,nuclear,energy,machinery,biotechnology,paper making,shipbuilding,boiler fields. Pipes also can be made according to the customer's required.		
Container	20ft GP:5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBN ontainer 40ft GP:12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM		
size	40ft HC:12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM		

Company Profile

Shandong Hailian Steel Group Co., Ltd has deeply engaged in Chinese domestic market for over 10 years. We established perfect reputation and deep co-operations with large number of reliable patners. Our high-tech factory and well-trained workers are able to manufature best quality and highly customized metal products. The professional sales team guarantes the prefect trading experience with Hailian.

The goal of Hailian is doing our best to offer our clients best service and product quality with lowest price. We are looking forward to deal business with you!

FAQ

1. What is your payment terms?

Our company prefers 30%TT before inspection and the rest 70% against BL. However, our price term is negotiable. Multiple payment terms are available from us.

2. Is sample providing service available?

Our company provides free samples to our clients. We usually also cover the sample shipping cost. Please feel free to order a sample from us.

3. What products and materials do you supply?

Our company mainly supplies all catalogs and all grades of steel and stainless steel products. Coils, strips, sheet, pipes, bars, beams, flanges and other customized products. Tin coating, Ti coating, galvanization and other surface treatments are also available.

Other than steel products, we also has high production capacity and holds large ready stock of all kinds of copper and aluminum products. Please feel free to consult us about any related products above, we can surely meet your requirements.

