



## EN 201 202 Stainless Steel Strip Banding 0.3mm Thick 15mm Width Cold Rolled

### Our Product Introduction

#### Basic Information

- Place of Origin: Jiangsu
- Brand Name: Hailian
- Model Number: 201
- Minimum Order Quantity: 1 ton
- Price: Negotiation
- Packaging Details: Standard seaworthy packing
- Delivery Time: 3 - 5 work days
- Payment Terms: L/C, T/T
- Supply Ability: 1000 ton per month



#### Product Specification

- Name: SS201 Stainless Steel Strip
- Grade: 201
- Thickness: 0.3mm
- Type: Strip
- Surface: 2B
- Size: Customized
- Color: Bright
- Application: Construction Material
- Standard: EN
- Technique: Cold-rolled
- Highlight: 202 Stainless Steel Strip 0.3mm,  
202 Stainless Steel Strip 15mm,  
201 Stainless Steel Banding Cold Rolled



## Product Description

SS201 2B Stainless Steel Strip EN 0.3mm Thickness 15mm Width Cold-Rolled Bright Color Natural Surface

### Product Description

Stainless Steel 201 Strip is broadly used in several industries as they have some silent features like excellent thermodynamic properties such as specific heat capacity, melting points, coefficient of linear expansion and thermal conductivity. **201 Stainless Steel Strip** is austenitic steel contains half nickel and replaced with nitrogen and manganese percentage compared to popular stainless steel alloys. As **SS 201 Strips** have higher manganese and nitrogen percentage, they offer good electromagnetic properties like electrical conductivity, magnetic permeability, electrical resistivity and Young's modulus of elasticity. **Hot Rolled Stainless Steel 201 Strips** are manufactured using hot billets or slab and then quenched by cold rolling process. Our SS 201 Cold Rolled Strips are widely used in several industries like food industries, electrical, generator shaft, cement & gas industries, chemical processing, and pharmaceuticals. These Cold Rolled Stainless Steel 201 Strips are produced from annealed and pickled by cold rolling process. Type 201 stainless steel is an austenitic chromium-nickel-manganese stainless alloy. It was developed mid century to conserve nickel and it is used as an alternative to type 301 in some tempered applications. Because of 201 's relatively high yield strength in the annealed condition, use of 201 is limited. Type 201 is generally used in the tempered condition particularly for springs and fasteners. 201 Stainless will retain a comparable ductility to 301 even with the higher yield strength.



### Product Properties

Grade	201/202/301/303/304/304L/316/316L/321/310S/401/409/410/420J1/420J2/430/439/443/444/2205/2507
Surface Finish	2B, BA, NO.1, NO.4, 8K, HL, Embossing, Satin, Mirror, ect
Standard	JIS/SUS/GB/DIN/ASTM/AISI/EN
Technique	Cold Rolled; Hot Rolled
Thickness	0.3-4mm cold rolled; 3-16mm hot rolled; Customized according to customer requirements
Width	10-600mm
Application	Interior/Exterior decoration; Architectur; Evevator; Kitchen; Ceiling; Cabinet; Advertising nameplate; Roof structure; Shipbuilding
Lead Time	7-15 working days after the receipt of 30% deposit
Payment Terms	30% TT for deposit, 70% TT / 70% LC at sight balance before shipment
Price Terms	FOB, EXW, CIF, CFR
Packing	Wooden Pallet or according to customer's requirements

## Company Profile

Shandong Hailian Steel Group has deeply engaged in Chinese domestic market for over 10 years. We established perfect reputation and deep co-operations with large number of reliable partners. Our high-tech factory and well-trained workers are able to manufacture best quality and highly customized metal products. The professional sales team guarantees the perfect trading experience with Hailian.

The goal of Hailian is doing our best to offer our clients best service and product quality with lowest price. We are looking forward to deal business with you! Our company is willing to provide our copies of company registration certificate and Chinese exporting registration for you to view. These certificates are under Chinese Trading Law effect. They can help you officially check our company's capability and status.

## FAQ

1. What is your payment terms?

Our company prefers 30% TT before inspection and the rest 70% against BL. However, our price term is negotiable. Multiple payment terms are available from us.

2. Which payment method can I choose?

Our company accepts all types of secured payment methods. Bank transaction, Trading Assurance, Paypal and etc are all available from us. Please feel free to contact us about your preferred payment method.

3. Is sample providing service available?

Our company provides free samples to our clients. We usually also cover the sample shipping cost. Please feel free to order a sample from us.



**Shandong Hailian Steel Group Co., Ltd**



+86 18915261855



admin@sdhlsteel.com



sheetstainless-steel.com

No. 1666, Xinluo Street, Jinan Area, China (Shandong) Pilot Free Trade Zone