



C5050 Copper Alloy Tube 14mm OD 2.5mm Thick Corrosion Resistance

Our Product Introduction

for more products please visit us on sheetstainless-steel.com

Basic Information

- Place of Origin: Jiangsu
- Brand Name: Hailian
- Model Number: C5050
- Minimum Order Quantity: 1 ton
- Price: Negotiation
- Packaging Details: Standard seaworthy packing
- Delivery Time: 3 - 5 work days
- Payment Terms: L/C, T/T
- Supply Ability: 10000 ton per month



Product Specification

- Name: H5050 Copper Pipe
- Grade: H5050
- OD: 14mm
- Type: Pipes
- Thickness: 2.5mm
- Material: Copper
- Color: Green
- Application: Construction Use
- Standard: SUS
- Surface: Bright
- Highlight: **C5050 Copper Alloy Tube,
Copper Alloy Tube 14mm**



Product Description

C5050 Copper Pipe SUS Standard 14mm OD 2.5mm Thickness Green Color Construction Use

Product Description

C5050 Copper Pipe has higher corrosion resistance, wear resistance, no spark when out. For medium speed, heavy load bearing, maximum operating temperature 250°C. With active aligning is not sensitive to deflection, bearing force uniform bearing capacity, can be radial load together, self-lubrication without protection and other characteristics. Tin phosphor bronze is a kind of alloy copper, with outstanding conductive function, not easy to heat, to ensure safety together with strong fatigue resistance. Tin phosphor BRONZE jack hardwired electrical structure, no rivet connection or no conflict contact, can ensure outstanding touch, good elasticity. Tin bronze generally has a tin content of 3 ~ 14% and is mainly used to make elastic components and wear-resistant parts. The tin content of deformed tin bronze is not more than 8%, and sometimes phosphorus, lead, zinc and other elements are added. Phosphorus is a good deoxidizer and can improve fluidity and wear resistance. Lead addition can improve the machinability and wear resistance of tin bronze, zinc addition can improve the casting performance. This alloy has high mechanical properties, wear reduction and corrosion resistance.



Product Properties

Item	split air conditioner copper pipe
Material	red copperpipe:c10200,c10400,c10500,10700,c11000,c12000,c12200,c12300
Standard	ASTM B280, JIS H3300, CNS 5127, EN 1057, YS/T450-2002
Size	Out Diameter:3mm-400mm
	Wall Thickness:0.1mm-50mm
	Hot Sale to USA,UAE,Europe,Asia.
Property	Light Weight,Good Thermal Conductivity,Low Temperature and High Strength Hardness and Corrosion Resistance,High Temperature and Pressure Resistance It can be easy to joint and to change the shape .
Application	Seawater desalination device Oil Cooler/Condenser Fuel Burning and Nuclear Power Plant use in condenser and Shipping used in Condenser and Heated supply water distilling apparatus and heat exchange Water pipe,Supply Heat and Condenser pipe

Company Profile

Shandong Hailian Steel Group has deeply engaged in Chinese domestic market for over 10 years. We established perfect reputation and deep co-operations with large number of reliable partners. Our high-tech factory and well-trained workers are able to manufacture best quality and highly customized metal products. The professional sales team guarantees the perfect trading experience with Hailian.

The goal of Hailian is doing our best to offer our clients best service and product quality with lowest price. We are looking forward to deal business with you!

FAQ

1.What is your payment terms?

Our company prefers 30%TT before inspection and the rest 70% against BL. However, our price term is negotiable. Multiple payment terms are available from us.

2.Which payment method can I choose?

Our company accepts all types of secured payment methods. Bank transaction, Trading Assurance, Paypal and etc are all available from us. Please feel free to contact us about your preferred payment method.

3.Why should I choose you?

Our company has deeply engaged in metal material market for over 15 years. We established perfect reputation world-widely. Craftsmanship spirit is the fundamental of Xuda Steel since we are established. Xuda Steel keeps our products as highest quality and lowest price to maintain our self competitive. Proving our clients with best trading experience is the goal we always insist of.



Shandong Hailian Steel Group Co., Ltd



+86 18915261855



admin@sdhlsteel.com



sheetstainless-steel.com

No. 1666, Xinluo Street, Jinan Area, China (Shandong) Pilot Free Trade Zone