



DX53D Galvanized GI Steel Coil 0.3 - 3.0mm No Burrs 400n/Mm2

Our Product Introduction

For more products please visit us on sheetstainless-steel.com

Basic Information

- Place of Origin: Shandong
- Minimum Order Quantity: 1 ton
- Price: Negotiation
- Packaging Details: Standard seaworthy packing
- Delivery Time: 3 - 5 work days
- Payment Terms: L/C, T/T
- Supply Ability: 10000 ton per month



Product Specification

- Material: Galvanized Steel
- Yield Strength: 175-400n/mm2
- Package: Standard Export Package
- Length: According To Customer's Requirement
- Edge Quality: No Burrs
- Width: 1000-1500mm
- Coil ID: 508/610mm
- Tensile Strength: 270-500n/mm2
- Highlight: **DX53D GI Steel Coil, Galvanized GI Steel Coil, 3.0mm Galvanized Steel Coil**



Product Description

Product Description:

Galvanized Steel Coil is a zinc-coated steel coil, which is made of steel sheet as raw material, coated with zinc on both sides to prevent corrosion and rust. Galvanized Steel Coil sheets are available in a variety of thicknesses, from 0.3mm to 3.0mm. It has a tensile strength ranging from 270-500N/mm², and provides a bright and smooth surface with no burrs on the edges. The DX53D GI Coil is one of the most popular types of GI Coil, which is coated with zinc and aluminum, and offers excellent corrosion resistance, heat resistance and mechanical properties. With its excellent performance, it is widely used in construction, household appliances, automobiles, and other industries.

Applications:

Wuxi Galvanized Steel Coil is a high-quality product made of galvanized steel, originating from Wuxi. It has a bright and smooth surface, and its zinc coating is from 30 to 275g/m². The length of this product is customizable according to the customer's need. It is generally used to make GI Coil, DX53D GI Coil, DX52D GI Coil Sheets, and other products with galvanized steel material. The package of Wuxi Galvanized Steel Coil is in accordance with the standard export package.

Customization:

Customized Service for Galvanized Steel Coil

Place of Origin: Wuxi

Elongation: 16-30%

Length: According To Customer's Requirement

Width: 1000-1500mm

Edge Quality: No Burrs

Coil ID: 508/610mm

Highlighted Keywords:

GI Coil, DX52D GI Coil Sheets, DX51D Galvanized Steel Coil

Support and Services:

We provide technical support and services for our Galvanized Steel Coil products. Our technical team is available to answer any questions or concerns you may have and provide assistance with installation and troubleshooting. We also offer regular maintenance services to ensure your product is running smoothly and efficiently. If you ever need help or assistance, please don't hesitate to contact us.

Packing and Shipping:

Packaging and Shipping

The Galvanized Steel Coil is typically shipped in coils weighing between 5 to 6 tons. The coil is secured and protected by steel bands, and then covered with plastic wrap. It is then placed on a wooden pallet and secured with more steel bands. The entire package is then shrink-wrapped and secured to the pallet.

FAQ:

Q1:What is galvanized steel coil?

A1:Galvanized steel coil is a kind of steel coil which is coated with zinc to prevent corrosion and rust.

Q2:Where is the place of origin of galvanized steel coil?

A2:The place of origin of galvanized steel coil is Shandong, China.

Q3:What applications can galvanized steel coil be used for?

A3:Galvanized steel coil can be used for construction, automotive, agriculture, appliance, furniture and other related industries.

Q4:What is the advantage of galvanized steel coil?

A4:Galvanized steel coil has excellent corrosion resistance, which makes it ideal for use in outdoor applications.

Q5:What is the production process of galvanized steel coil?

A5:The production process of galvanized steel coil involves pickling, hot dip galvanizing, cooling, and coating with oil or anti-rust paint.



Shandong Hailian Steel Group Co., Ltd



+86 18915261855



admin@sdlsteel.com



sheetstainless-steel.com

No. 1666, Xinluo Street, Jinan Area, China (Shandong) Pilot Free Trade Zone

