




## 30-275g/M2 Zinc Coated Galvanized Steel Coil ID 508/610mm 16-30% Elongation

Our Product Introduction

For more products please visit us on [sheetstainless-steel.com](http://sheetstainless-steel.com)

### Basic Information

- Place of Origin: wuxi
- Minimum Order Quantity: 1 ton
- Price: Negotiation
- Packaging Details: Standard seaworthy packing
- Delivery Time: 3 - 5 work days
- Payment Terms: L/C, T/T
- Supply Ability: 10000 ton per month



### Product Specification

- Surface Treatment: Galvanized
- Surface Quality: Bright And Smooth Surface
- Edge Quality: No Burrs
- Yield Strength: 175-400n/mm2
- Length: According To Customer's Requirement
- Coil ID: 508/610mm
- Zinc Coating: 30-275g/m2
- Tensile Strength: 270-500n/mm2
- Highlight: **275g/m2 Galvanized Steel Coil, Zinc Coated Galvanized Steel Coil, 610mm Galvanized Coil**



## Product Description

### Product Description:

Galvanized Steel Coil is a zinc steel coil sheets, GI Coil, DX52D GI Coil Sheets, hot-dipped galvanized steel coil, which has great length and width, and excellent tensile strength of 270-500n/mm<sup>2</sup>, and yield strength of 175-400n/mm<sup>2</sup>, with an ID of 508/610mm. It is widely used in many applications, especially for its great corrosion resistance ability.

### Applications:

DX53D GI Coil, also known as Galvanized Steel Coil, is a high quality and highly versatile product that is perfect for a variety of applications. It is manufactured by Wuxi and has a length that can be customized according to customer requirements. The coil weighs 3-8 tons, with no burrs on the edges, ensuring a high quality product. Additionally, it has a surface treatment of galvanizing, and a width of 1000-1500mm. This product is perfect for indoor and outdoor applications, and is ideal for construction, automotive, and home improvement projects. DX53D GI Coil is an excellent choice for anyone looking for a reliable and strong Galvanized Steel Coil.

### Customization:

Galvanized Steel Coil & Zinc Steel Coil Sheets

Place of Origin: Wuxi

Surface Quality: Bright and Smooth Surface

Width: 1000-1500mm

Coil ID: 508/610mm

Elongation: 16-30%

Yield Strength: 175-400n/mm<sup>2</sup>

**DX52D GI Coil Sheets**

### Support and Services:

Our technical support and services for Galvanized Steel Coil include:

24-hour customer service support

On-site consultations and technical guidance

Full maintenance solutions for steel coils

Product training

Product repairs

Product replacement parts

### Packing and Shipping:

Packaging and Shipping of Galvanized Steel Coil:

Galvanized Steel Coil is usually packaged in standard export packaging, wrapped in waterproof plastic film, and then packed in wooden cases or pallets.

The shipping of Galvanized Steel Coil can be done by sea, air, rail, or truck. Depending on the destination, the most cost-effective and secure mode of transportation is chosen.

### FAQ:

Q1: What is Galvanized Steel Coil?

A1: Galvanized Steel Coil is a kind of steel coil which is made of cold rolled steel plate and then galvanized by hot dip galvanizing process. It is usually made of galvanized steel coil with Place of Origin: Wuxi.

Q2: What are the advantages of galvanized steel coil?

A2: The galvanized steel coil has excellent corrosion resistance, strong adhesion, long service life, strong anti-oxidation, and low cost.

Q3: How to test the quality of galvanized steel coil?

A3: The quality of galvanized steel coil can be tested by visual inspection, mechanical property testing, and chemical testing.

Q4: What is the application of galvanized steel coil?

A4: Galvanized steel coil is widely used in construction, home appliances, automobiles, containers, transportation and other fields.

Q5: What is the production process of galvanized steel coil?

A5: The production process of galvanized steel coil includes uncoiling, pickling, galvanizing, and other processes.





+86 18915261855



admin@sdhlsteel.com



sheetstainless-steel.com

No. 1666, Xinluo Street, Jinan Area, China (Shandong) Pilot Free Trade Zone