

Chinese Mild Steel Pipes SAE1020 AISI 20# Seamless Steel Pipes SCH10 101mm OD

Basic Information

Place of Origin: Shandong
Brand Name: Hailian
Model Number: SAE1020 20#

Minimum Order Quantity: 1 tonPrice: Negotiation

Packaging Details: Standard seaworthy packing

Delivery Time: 3 - 5 work daysPayment Terms: L/C, T/T

Supply Ability: 10000 ton per month



Product Specification

Name: Chinese Mild Steel Pipes SAE1020

• Grade: SAE1020

Length: As Client's RequestType: Seamless Steel Pipes


Thickness: SCH10OD: 101mmFinish: Seamless

Application: Chemical Industry

Standard: EN10210Surface: Standard

Highlight: SCH10 Seamless Steel Pipes,

AISI 20# Seamless Steel Pipes, 101mm OD Seamless Steel Pipes



Product Description

Chinese Mild Steel Pipes SAE1020 AISI 20# Seamless Steel Pipes SCH10 101mm OD **Product Description**

ASTM AISI SAE 1020 steel has many semi-finished products, such as square steel bars, flat steel bars, round steel bars, steel plates, which can be used to make truck, automotive and agricultural equipment parts such as axles, mechanical parts, cold head bolts, motor shafts, pump shafts, ratchet, light gear, gear drives, worm gear, spindle, seat bracket, crane-cable drum, motor-brake wheel, etc. And usually also made into steel channels, steel angles, I-beams and H-beams.



Product Properties

item	spiral steel pipe
Place of Origin	China
Application	Fluid Pipe, Boiler Pipe, Hydraulic Pipe, OIL PIPE, Structure Pipe
Alloy Or Not	Non-Alloy
Section Shape	Round
	219mm - 3820mm
Special Pipe	API Pipe, EMT Pipe, Thick Wall Pipe
Thickness	6-30mm
Standard	GB ASTM API
Length	12M, 6m, 6.4M
Certificate	API, ISO9001
Technique	SSAW
Grade	Q235,Q345,x42,x52,x60,l245,l290
Surface Treatment	Hot Rolled
Tolerance	±5%, ±1%
Processing Service	Welding, Cutting, Bending
Oiled or Non-oiled	Slightly Oiled
Invoicing	by actual weight

Delivery Time	15-21 days
Pipe end	Beveled and plain end
Payment terms	TT LC
Surface	oiled,black painting

Company Profile



Shandong Hailian Steel Group has deeply engaged in Chinese domestic market for over 10 years. We established perfect reputation and deep co-operations with large number of reliable patners. Our high-tech factory and well-trained workers are able to manufature best quality and highly customized metal products. The professional sales team guarantes the prefect trading experience with Hailian.

The goal of Hailian is doing our best to offer our clients best service and product quality with lowest price. We are looking forward to deal business with you!

FAQ

1. What is your payment terms?

Our company prefers 30%TT before inspection and the rest 70% against BL. However, our price term is negotiable. Multiple payment terms are available from us.

2.Is customization available?

Our factory's expert equipment and highly-trained workers are capable of manufacturing highly customized products. Please feel free to discuss with us about your customized requirements, we can surely meet your needs.

3. What products and materials do you supply?

Our company mainly supplies all catalogs and all grades of steel and stainless steel products. Coils, strips, sheet, pipes, bars, beams, flanges and other customized products. Tin coating, Ti coating, galvanization and other surface treatments are also

Other than steel products, we also has high production capacity and holds large ready stock of all kinds of copper and aluminum products. Please feel free to consult us about any related products above, we can surely meet your requirements.

4. What products and materials do you supply?

Our company mainly supplies all catalogs and all grades of steel and stainless steel products. Coils, strips, sheet, pipes, bars, beams, flanges and other customized products. Tin coating, Ti coating, galvanization and other surface treatments are also available.

Other than steel products, we also has high production capacity and holds large ready stock of all kinds of copper and aluminum products. Please feel free to consult us about any related products above, we can surely meet your requirements.



