

Mild Steel Pipes S355 Chinese 16Mn Seamless Steel Pipes ASTM A572 SCH30 324mm Thickness

Basic Information

• Price:

Place of Origin: Shandong
Brand Name: Hailian
Model Number: Q345B S355
Minimum Order Quantity: 1 ton

Packaging Details: Standard seaworthy packing

Negotiation

Delivery Time: 3 - 5 work daysPayment Terms: L/C, T/T

Supply Ability: 10000 ton per month



Product Specification

Name: Mild Steel Pipes S355

Grade: Q345B S355
 Length: As Client's Request
 Type: Mild Steel Pipes

Thickness: SCH30 OD: 324mm

Finish: Seamless Or Welded
 Application: Industry Pipes
 Standard: EN10025-5

• Standard. EN10025-

• Highlight: Chinese 16Mn Seamless Steel Pipes,

324mm Thickness Seamless Steel Pipes, ASTM A572 Seamless Steel Pipes




Product Description

Mild Steel Pipes S355 Chinese 16Mn Seamless Steel Pipes ASTM A572 SCH30 324mm Thickness

Product Description

Besides its physical properties, S355 Grade Steel has impressive mechanical properties, making it popular in specific industries. S355 Grade Steel has a minimum yield strength of 355MPa, and its ultimate tensile strength is estimated at 470 to 630 MPa. It also has high elongation that ranges from 22% to 25%. Other mechanical properties of S355 Grade Steel include low-temperature impact tests, corrosion resistance, and fatigue strength.



Product Properties

item	spiral steel pipe
Place of Origin	China
Application	Fluid Pipe, Boiler Pipe, Hydraulic Pipe, OIL PIPE, Structure Pipe
Alloy Or Not	Non-Alloy
Section Shape	Round
	219mm - 3820mm
Special Pipe	API Pipe, EMT Pipe, Thick Wall Pipe
Thickness	6-30mm
Standard	GB ASTM API
Length	12M, 6m, 6.4M
Certificate	API, ISO9001
Technique	SSAW
Grade	Q235,Q345,x42,x52,x60,l245,l290
Surface Treatment	Hot Rolled
Tolerance	±5%, ±1%
Processing Service	Welding, Cutting, Bending
Oiled or Non-oiled	Slightly Oiled
Invoicing	by actual weight
Delivery Time	15-21 days

Pipe end	Beveled and plain end
Payment terms	TT LC
Surface	oiled,black painting

Company Profile



Shandong Hailian Steel Group has deeply engaged in Chinese domestic market for over 10 years. We established perfect reputation and deep co-operations with large number of reliable patners. Our high-tech factory and well-trained workers are able to manufature best quality and highly customized metal products. The professional sales team guarantes the prefect trading experience with Hailian.

The goal of Hailian is doing our best to offer our clients best service and product quality with lowest price. We are looking forward to deal business with you!

FAQ

1. What is your payment terms?

Our company prefers 30%TT before inspection and the rest 70% against BL. However, our price term is negotiable. Multiple payment terms are available from us.

2.Is customization available?

Our factory's expert equipment and highly-trained workers are capable of manufacturing highly customized products. Please feel free to discuss with us about your customized requirements, we can surely meet your needs.

3. What products and materials do you supply?

Our company mainly supplies all catalogs and all grades of steel and stainless steel products. Coils, strips, sheet, pipes, bars, beams, flanges and other customized products. Tin coating, Ti coating, galvanization and other surface treatments are also available.

Other than steel products, we also has high production capacity and holds large ready stock of all kinds of copper and aluminum products. Please feel free to consult us about any related products above, we can surely meet your requirements.

4. What products and materials do you supply?

Our company mainly supplies all catalogs and all grades of steel and stainless steel products. Coils, strips, sheet, pipes, bars, beams, flanges and other customized products. Tin coating, Ti coating, galvanization and other surface treatments are also available.

Other than steel products, we also has high production capacity and holds large ready stock of all kinds of copper and aluminum products. Please feel free to consult us about any related products above, we can surely meet your requirements.





