



Stainless Steel 304L Coild SS Rolled Sheets Inox 1500mm Width ASTM A240 0.3mm 0.4mm Thickness

Our Product Introduction

Basic Information

- Place of Origin: Jiangsu
- Brand Name: Hailian
- Model Number: 304L
- Minimum Order Quantity: 1 ton
- Price: Negotiation
- Packaging Details: Standard seaworthy packing
- Delivery Time: 3 - 5 work days
- Payment Terms: L/C, T/T
- Supply Ability: 1000 ton per month



Product Specification

- Name: 304L Stainless Steel Sheets SS Coils
- Grade: 304L
- Thickness: 0.3mm 0.4mm
- Type: Inox Coils
- Origin: Shandong, China
- Size: 1500mm
- Color: Sliver White
- Application: Container Panel
- Standard: ASTM A240
- Technique: Cold-rolled And Annealed
- Highlight: **0.3mm Stainless Steel Coil,
0.4mm Stainless Steel Coil,
304L Stainless Steel Coil**



Product Description

Stainless Steel 304L Coild SS Rolled Sheets Inox 1500mm Width ASTM A240 0.3mm 0.4mm Thickness

Product Description

Another benefit includes weldability. Although welding Stainless Steel Coils are simple, filler materials must be used throughout the welding process. Coils made of stainless steel 304 are susceptible to the post-weld development of carbide precipitates. An essential step after welding is annealing, which ensures malleability, ductility, corrosion resistance, and strength retention.

It possesses excellent corrosion resistance against most forms, this is because of the alloy of the coil, i.e. stainless steel. Both the cold-wrought and hot-worked SS coils are similarly strong and long-lasting. The two are identical save for slight differences in appearance.



Product Properties

item	value
Place of Origin	China
	Shandong
Brand Name	Shandong Hailian Steel Group Co.,Ltd
Application	high temperature applications, medical devices, food industry
Type	Steel Coil
Thickness	1.2-2.0mm
Standard	AISI
Width	3mm-2000mm or as required
Length	as required
Grade	304L, 321, 310S 309S, 410S, 440A, 904L
Tolerance	±1%
Skin Pass	Yes

Alloy Or Not	Is Alloy
Delivery Time	15-21 days
Product Name	Stainless steel coil / plate
Length	as required
Width	3mm-2000mm or as required
Thickness	0.1mm-5mm or as required
Thickness tolerance	±0.01mm
MOQ	25tons.We also can accept sample order.
Application	high temperature applications, medical devices, building materials
Technique	Hot rolled / cold rolled
Type	Steel Plate
Surface Treatment	2B or according to customer requirement

Company Profile

Shandong Hailian Steel Group has deeply engaged in Chinese domestic market for over 10 years. We established perfect reputation and deep co-operations with large number of reliable partners. Our high-tech factory and well-trained workers are able to manufacture best quality and highly customized metal products. The professional sales team guarantees the perfect trading experience with Hailian.

The goal of Hailian is doing our best to offer our clients best service and product quality with lowest price. We are looking forward to deal business with you!

FAQ

1.What is your payment terms?

Our company prefers 30%TT before inspection and the rest 70% against BL. However, our price term is negotiable. Multiple payment terms are available from us.

2.Which payment method can I choose?

Our company accepts all types of secured payment methods. Bank transaction, Trading Assurance, Paypal and etc are all available from us. Please feel free to contact us about your preferred payment method.

3.Is sample providing service available?

Our company provides free samples to our clients. We usually also cover the sample shipping cost. Please feel free to order a sample from us.



Shandong Hailian Steel Group Co., Ltd



+86 18915261855



admin@sdhlsteel.com



sheetstainless-steel.com

No. 1666, Xinluo Street, Jinan Area, China (Shandong) Pilot Free Trade Zone